AGENDA

THE SEVENTEENTH MEETING OF THE ONE HUNDRED AND TWENTY-SEVENTH **COUNCIL OF THE CORPORATION OF THE CITY OF ST. THOMAS**

CITY HALL

COUNCIL CHAMBERS 6:00 P.M. CLOSED SESSION 7:00 P.M. REGULAR SESSION

MARCH 12TH, 2007

ROUTINE PROCEEDINGS AND GENERAL ORDERS OF THE DAY

OPENING PRAYER

DISCLOSURES OF INTEREST

MINUTES

DEPUTATIONS

COMMITTEE OF THE WHOLE

REPORTS OF COMMITTEES

PETITIONS AND COMMUNICATIONS

UNFINISHED BUSINESS

NEW BUSINESS

BY-LAWS

PUBLIC NOTICE

NOTICES OF MOTION

ADJOURNMENT

CLOSING PRAYER

THE LORD'S PRAYER

Alderman H. Chapman

DISCLOSURES OF INTEREST

MINUTES

Confirmation of the minutes of the meetings held on March 5th, 2007.

DEPUTATIONS

Mr. Mark Cosens, Chairman, St. Thomas Downtown Development Board, will be in attendance to discuss the proposed Yellow Ribbon Campaign.

COMMITTEE OF THE WHOLE

Council will resolve itself into Committee of the Whole to deal with the following business.

PLANNING AND DEVELOPMENT COMMITTEE - Chairman H. Chapman

UNFINISHED BUSINESS

Minimum Maintenance By-Law - Ontario Heritage Act

NEW BUSINESS

BUSINESS CONCLUDED

ENVIRONMENTAL SERVICES COMMITTEE - Chairman T. Johnston

UNFINISHED BUSINESS

Road and Sidewalk Reserve Fund

Proposed Playground Development - Feasibility Analysis of Proposed Public/Private Partnership between City of St. Thomas and Faith Baptist Church

Green Lane Landfill Purchase by the City of Toronto - Status Report - Possible Waste Management Contract Extension

NEW BUSINESS

2006 Annual Report for the St. Thomas Water Distribution System 2006 Annual Report St. Thomas Area Secondary Water Supply System 2006 Annual Report Elgin Area Primary Water Supply System

Report ES39-07 of the Manager of Operations & Compliance. Pages 7 + 25

BUSINESS CONCLUDED

PERSONNEL AND LABOUR RELATIONS COMMITTEE - Chairman G. Campbell

UNFINISHED BUSINESS

NEW BUSINESS

BUSINESS CONCLUDED

FINANCE AND ADMINISTRATION COMMITTEE - Chairman T. Shackelton

UNFINISHED BUSINESS

Cash Advances & Expenses Reimbursement Report

St. Thomas Consolidated Courthouse Project - Police Facilities

Mayor and Council Expenses

St. Thomas-Elgin Public Art Centre - Grant Request

St. Thomas and District Minor Baseball Association - Grant Request

2007 Capital Budget - Part 1 - Transit Station Options Report

St. Thomas Police Services Space Needs

Elgin Military Museum - Grant Request

2007 Capital Budget - Part 1 - City Park Partnerships - Optimist Park - Chestnut Street

London-Middlesex Children's Water Festival - Grant Request

Talbot Teen Centre - Grant Request

St. Thomas-Elgin General Hospital - Grant Request

NEW BUSINESS

Summer Meeting Schedule

Report CC-10-07 of the City Clerk. Page 26

BUSINESS CONCLUDED

COMMUNITY SERVICES COMMITTEE - Chairman B. Aarts

UNFINISHED BUSINESS

Parks Pavilion Renaming

Walk of Fame

Paralympics Ontario - Request for Hosting Bids

Ontario Provincial Fastball Championships - Concession Services

NEW BUSINESS

BUSINESS CONCLUDED

PROTECTIVE SERVICES AND TRANSPORTATION COMMITTEE - Chairman D. Warden

<u>UNFINISHED BUSINESS</u>

Leash Free Dog Park

Bus Services to 1063 Talbot Street and Shopping Complex near Elm Street and Wilson Avenue

Transit System and CASO Station

By-Law for Loitering

Intersection of Third Avenue and Wellington Street

White Street Yield Signs

Wings & Wheels Fundraiser - June 22nd, 23rd and 24th, 2007

Replacement of Railway Ties

2007 St. Anne's Community Festival

St. Thomas Transit Terminal Building

"Paws For The Cause" Fundraiser - Request for Street Closure - Mondamin Street

Elgin Court Public School - Handicap Accessible Curb Cuts Holland Avenue

NEW BUSINESS

Airport Use Quarterly Report - October 1st, 2006 to December 31st, 2006

Report CC-08-07 of the Airport Superintendent. Pages 27 27

Sale of Dispatch Equipment

Report FD02-07 of the Fire Chief. Page

School Area Review For Elementary School Children

Zone J - Monsignor Morrison School

Zone K - St. Raphael's School

Zone L - St. Gabriel's School

Report ES32-07 of the Supervisor of Roads and Transportation. Pages 30 to 34

BUSINESS CONCLUDED

SOCIAL SERVICES COMMITTEE - Chairman L. Baldwin-Sands

UNFINISHED BUSINESS

Valleyview Food Service Contract

NEW BUSINESS

BUSINESS CONCLUDED

REPORTS PENDING

ROAD RESURFACING PROGRAM - BUDGET FORECASTS - J. Dewancker

COUNCIL

Council will reconvene into regular session.

REPORT OF COMMITTEE OF THE WHOLE

Planning and Development Committee - Chairman H. Chapman

Environmental Services Committee - Chairman T. Johnston

Personnel and Labour Relations Committee - Chairman G. Campbell

Finance and Administration Committee - Chairman T. Shackelton

Community Services Committee - Chairman B. Aarts

Protective Services and Transportation Committee - Chairman D. Warden

Social Services Committee - Chairman L. Baldwin-Sands

A resolution stating that the recommendations, directions and actions of Council in Committee of the Whole as recorded in the minutes of this date be confirmed, ratified and adopted will be presented.

REPORTS OF COMMITTEES

The Third Report of the Site Plan Control Committee Page 35

PETITIONS AND COMMUNICATONS

St. Anne's Community Festival - Travel Trailer Siting

A letter has been received from Father Rick Dales requesting permission to locate the carnival employees accommodations at 750 Talbot Street, North America Railway Hall of Fame. Pages 36,237

Provincial Rent Bank Program

A letter has been received from the Honourable John Gerretsen, Minister of Municipal Affairs and Housing, advising that the City of St. Thomas will receive \$38,328 for the Provincial Rent Bank Program which assists tenants to avoid eviction during temporary financial setbacks.

Sale of Canada Southern Railway - CASO Lands

A letter has been received from Dr. Sharon Baker, Acting Medical Officer of Health, Elgin St. Thomas Health Unit, regarding the future of the CASO Trans Canada Trail and supporting the City's suggestion that the province purchase the CASO railway corridor. Page 37

St. Thomas - Elgin Tourist Association Annual General Meeting - Tuesday April 10, 2007

A letter has been received from Fiona Nesbit, President St. Thomas - Elgin Tourist Association, inviting Council and city staff to the Annual General Meeting being held on Tuesday April 10th, 2007 at 7:00 p.m. at the Elgin County Museum. The RSVP deadline is April 3rd, 2007.

Canada-Ontario Affordable Housing Program (AHP) - 78 Steele Street

A letter has been received from the Honourable John Gerretsen, Minister of Municipal Affairs and Housing, confirming funding approval of \$828,000 for 12 units for the Steele Street Apartments project under Wave 1 of the Canada-Ontario Affordable Housing Program. Page 39

Canada-Ontario Affordable Housing Program (AHP) - 25 Scott Street

A letter has been received from the Honourable John Gerretsen, Minister of Municipal Affairs and Housing, confirming funding approval of \$1,504,108 for 23 units for the Scott Street Apartments project under Wave 1 of the Canada-Ontario Affordable Housing Program. Page 40

Royal Canadian Legion District "A" Spring Convention - City Pins

A letter has been received from Marg Emery, Member Organizing Committee Royal Canadian Legion, requesting 300 St. Thomas city pins for the Royal Canadian Legion District "A" Spring Convention being held in St. Thomas from April 20th to 22nd, 2007.

St. Joseph's Catholic High School 7th Annual Track and Field Meet - City Pins

A letter has been received from Karyn Phillips, DSW St. Joseph's Catholic High School, requesting 200 St. Thomas city pins for the St. Joseph's Catholic High School 7th Annual Track and Field Meet being held at St. Joseph's Catholic High School on Wednesday May 23rd, 2007.

Kettle Creek Conservation Authority - 2006 Annual General Report

A copy of the Kettle Creek Conservation Authority - 2006 Annual General Report is available for review at the City Clerk's office.

UNFINISHED BUSINESS

Canadian Championship - Acknowledgment Signage

Yellow Ribbon Month

A letter has been received from Terry Hall, Chair, Promotions Committee Downtown Development Board, supporting April Yellow Ribbon Month Proclamation and proposing that the Mayor's office and the DDB jointly purchase 100 yellow banners in the amount of \$3,000. Page

St. Anne's Community Festival - June 6-9, 2007

NEW BUSINESS

BY-LAWS

First, Second and Third Reading

1. A by-law to confirm the proceedings of the Council meeting held on the 12th day of March 2007.

2. A by-law to amend By-Law 50-88, being Zoning By-Law for the City of St. Thomas (Permit Construction Trade - 63 Gaylord Road)

PUBLIC NOTICE

Notice of Intention to Adopt the City of St. Thomas 2007 Budget - Monday March 26, 2007

Pursuant to the requirements of Section 291 of the Ontario Municipal Act, the Corporation of the City of St. Thomas hereby provides notice of its intention to adopt the 2007 Budget at its meeting to be held on Monday March 26, 2007 at 7:00 p.m. in Council Chambers.

NOTICES OF MOTION


CLOSED SESSION

A resolution to close the meeting will be presented to deal with a personal matter about an identifiable individual.

OPEN SESSION

ADJOURNMENT

CLOSING PRAYER



Recommendation:

That the 2006 Annual Reports for;

- The Elgin Area Primary Water Supply System,
- · The St. Thomas Water Distribution System and
- The St. Thomas Area Secondary Water Supply System

be received as information.

Origin:

The Safe Drinking Water Act, Regulation 170/03, requires that owners and administrators of drinking water systems submit annual reports to the Ministry of the Environment by February 28, following the reporting year.

Analysis:

As required by the Safe Drinking Water Act, the Water Compliance Coordinator for The Elgin Area Primary Water Supply System recently submitted the 2006 Annual Report for this system. This report is attached for Council's information. The report documents the quality of the water that is supplied to a number of area municipalities, including St. Thomas.

The City of St. Thomas owns and/or administers two drinking water systems that also require that Annual Reports be submitted to the Ministry of the Environment. Staff has completed these reports, which are also attached. The reports have been completed on standard forms provided by the Ministry and were submitted prior to the February 28, 2007 submission date. As well, as required by the regulations, arrangements have been made to post the reports on the City's web site and copies have been sent to the interconnected Municipality of Central Elgin and Township of Southwold. Copies of the reports will be made available to the public upon request in the Environmental Services Department.

The St. Thomas Water Distribution System directly supplies water to the residents of St. Thomas as well as portions of the interconnected Municipality of Central Elgin and the Township of Southwold. The water is purchased from the Elgin Area Primary Water Supply Board and the St. Thomas Area Secondary Water Supply Board. The system complies with the Ontario Safe Drinking Water Act, Regulation 170/03 and with the terms and conditions of the applicable Certificates of Approval.

The St. Thomas Area Secondary Water Supply System, which includes a portion of the Elgin Middlesex Pumping Station, is administered by the City of St. Thomas on behalf of the owners, the St. Thomas Area Secondary Water Supply Board. This system transmits water to Southwold, Central Elgin and St. Thomas. American Water Canada Corp. operates the pumping station on behalf of the board and the transmission main is operated by the City of St. Thomas. The system complies with the Ontario Safe Drinking Water Act, Regulation 170/03, and with the terms and conditions of the applicable Certificates of Approval.

Ivar Andersen, Manager of Operations & Compliance Environmental Services

Respectfully Submitted,

| Reviewed By: | Treasury | Env Services | Planning | City Clerk | HR | Other |
|--------------|----------|--------------|----------|------------|----|-------|



Part III Form 2 Section 11. ANNUAL REPORT.

Drinking-Water System Number: Drinking-Water System Name: Drinking-Water System Owner:

210000871 Elgin Area Primary Water Supply System Elgin Area Primary Water Supply System Joint Board of Management c/o the City of London

Drinking-Water System Category:

Period being reported:

Large Municipal Residential January 1, 2006 through December 31, 2006

Complete if your Category is Large Municipal Residential or Small Municipal Residential

Does your Drinking-Water System serve more than 10,000 people? Yes [X] No []

Is your annual report available to the public at no charge on a web site on the Internet? No [] Yes [X]

Location where Report required under O. Reg. 170/03 Schedule 22 will be available for inspection.

Lake Huron and Elgin Area Water Supply Systems c/o Regional Water Supply Division 29 Kilworth Park Dr., RR 5, Komoka, ON http://www.watersupply.london.ca

Elgin Area Water Treatment Plant 43665 Dexter Line, Union, Ontario

Complete for all other Categories.

Number of Designated Facilities served:

N/A

Did you provide a copy of your annual report to all Designated Facilities you serve?

Yes [] No []

Number of Interested Authorities you report to: N/A

Did you provide a copy of your annual report to all Interested Authorities you report to for each Designated Facility? Yes [] No []

Note: For the following tables below, additional rows or columns may be added or an appendix may be attached to the report

List all Drinking-Water Systems (if any), which receive all of their drinking water from your system:

Systems that receive their drinking water directly from the EAPWSS:

| Drinking Water System Name | Drinking Water System Number |
|---|--|
| City of London Distribution System | 260004917 |
| St. Thomas Secondary Supply System | 210000871 |
| | (Note: DWS # 260078897 as of January 2007) |
| Aylmer Secondary Water Supply System | 260004722 |
| Port Burwell Secondary Water Supply System | 260004735 |
| Municipality of Central Elgin | 260004761 |

Drinking-Water Systems Regulations Part III - Form 2 (PIBS 4435E Version January 2005)

Page 1 of 6

| | ; | |
|--|---|--|



| St. Thomas Distribution System (via Albert | 260002187 |
|--|-----------|
| St. I holids Distribution System (via Albert | 20002107 |
| Roberts PS) | |

Systems that receive their drinking water indirectly from the EAPWSS:

| Drinking Water System Name | Drinking Water System Number |
|---|------------------------------|
| St. Thomas Distribution System | 260002187 |
| Aylmer Distribution System | 260002136 |
| Malahide Distribution System | 260004774 |
| Dutton/Dunwich Distribution System | 220002967 |
| Municipality of Bayham | 260004748 |
| Southwold Distribution System | 210001362 |
| Ontario Police College Distribution System | 260002161 |
| St. Thomas Psychiatric Hospital Distribution Supply | 260005255 |

Did you provide a copy of your annual report to all Drinking-Water System owners that are connected to you and to whom you provide all of its drinking water?

Yes [X] No []

| Indicate how you | notified system | users that you | r annual report i | is available, | and is free |
|------------------|-----------------|----------------|-------------------|---------------|-------------|
| of charge. | | | | | |

[X] Public access/notice via the web

[X] Public access/notice via the Government Office

[] Public access/notice via a newspaper

[] Public access/notice via Public Request

[] Public access/notice via a Public Library

[X] Public access/notice via other method News Release

Describe your Drinking-Water System

The Elgin Area Water Treatment Plant (WTP) employs pre-chlorination, screening, powder activated carbon addition (seasonally on an as-required basis), coagulation, flocculation, sedimentation, dual-media filtration, UV disinfection (as required), post-chlorination, and fluoridation to treat raw water obtained from Lake Erie. The WTP has a rated capacity of 91 ML/day (MLD). Water is pumped from the plant through a 750 mm diameter water main to various communities en route to a terminal reservoir located northeast of St. Thomas in Central Elgin. The drinking water system is monitored at various locations throughout the system via a Supervisory Control and Data Acquisition (SCADA) system.

List all water treatment chemicals used over this reporting period

12% Sodium Hypochlorite Acidified alum Cationic Polymer Powder activated carbon Chlorine gas

Drinking-Water Systems Regulations
Part III - Form 2 (PIBS 4435E Version January 2005)

Page 2 of 6

| 1 : | |
|------------|------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| Hydrofluosilicic acid | |
|-----------------------|--|
| | |

Were any significant expenses incurred to?

- [X] Install required equipment
- [X] Repair required equipment
- [X] Replace required equipment

Describe

LL #4 major rebuild including motor Replacement of pH meters

Installation of replacement instrumentation

Crack injection in tunnel

Repair HFS Containment area

Replacement of UPS batteries

Provide details on the notices submitted in accordance with subsection 18(1) of the Safe Drinking-Water Act or section 16-4 of Schedule 16 of O.Reg.170/03 and reported to

Spills Action Centre?

| Incident Date | Parameter | Result | Unit of Measure | Corrective Action | Corrective Action Date |
|-------------------|-----------|-----------|--------------------|--|---------------------------|
| April 4, 2006 | Fluoride | 2.05 | mg/L | Fluoride residuals spiked when water level in clearwell dropped as result of an operational test. Residuals returned to safe level once levels were brought back up by the Operator. | April 4, 2006 |
| June 2, 2006 | Fluoride | 2.05 | mg/L | Result due to calibrations. Acceptable concentration readings were recorded immediately following calibrations | June 2, 2006 |
| December 13, 2006 | Fluoride | 2.05 mg/L | mg/L | Data Error | December 13, 200 |

NOTE: High fluoride concentrations did not exceed fifteen minutes.

NOTE: These events were reported on February 22, 2007.

Microbiological testing done under section 8 (2) during this reporting period

| | Number of Samples | Range of E.Coli or Fecal Results (#-#) | Range of Total Coliform Results (#-#) | Number of HPC Samples | Range of HPC Results (#-#) |
|-----|-------------------------|--|---|-----------------------------|----------------------------------|
| Raw | 104 | 0 – 170 | 0 - 48,000 | 104 | <10 – 2,000 |

Drinking-Water Systems Regulations
Part III - Form 2 (PIBS 4435E Version January 2005)

Page 3 of 6

| | | | • |
|-----|--------|---|---|
| • • | i . | | |
| | | | |
| | ; | | |
| | ! | | |
| | ; | | |
| | ! ! | | |
| | | | |
| | ! | | |
| | | | |
| | | ļ | |



Ministry of the Ministère de

Drinking-Water Systems Regulation O. Reg. 170/03

| Treated | 252 | 0-0 | 0 – 0 | 252 | <10 50 |
|--------------|-----|-----|-------|-----|-----------|
| Distribution | 155 | 0-0 | 0-0 | 155 | <10 – 160 |

Operational testing done under Schedule 7, 8 or 9 during the period covered by this Annual Report.

| | Number of Grab Samples | Range of Results (#-#) |
|---|------------------------------|---------------------------|
| Turbidity (NTU) | 8760 | (0.02) – (1.00) |
| Chlorine | 8760 | (0.74) - (2.0) |
| Fluoride (If the DWS provides fluoridation) | 8760 | (0.20) – (2.05) |

NOTE: For continuous monitors use 8760 as the number of samples.

NOTE: Turbidity spikes occurred on seventy five days out of the year. Not one spike exceeded fifteen minutes. The cause of spikes can be directly related to pump initiations or instrument calibrations. The average turbidity recorded over the reporting period was 0.03 NTU.

NOTE: Fluoride residuals spiked up to 2.05 mg/L on three days during the reporting period. Not one spike lasted more than fifteen minutes.

NOTE: Record the unit of measure if it is not milligrams per litre.

Summary of additional testing and sampling carried out in accordance with the requirement of an approval or order.

| Date of order or C of A | Parameter | Date Sampled | Result | Unit of Measure |
|-------------------------|-----------|--------------|--------|-----------------|
| | | | | |

Summary of Inorganic parameters tested during this reporting period or most recent

| Parameter | Sample Date | Result Value | Unit of Measure | Exceedence |
|-----------|---|--|--------------------|--------------|
| Antimony | January 19, 2006 | Not Detected | μg/L | |
| Arsenic | January 19, 2006 | Not Detected | μg/L | |
| Barium | January 19, 2006 | 24 | μg/L | |
| Boron | January 19, 2006 | 19 | μg/L | |
| Cadmium | January 19, 2006 | Not Detected | μg/L | |
| Chromium | January 19, 2006 | Not Detected | μg/L | · |
| Lead | January 19, 2006 | Not Detected | μg/L | |
| Mercury | January 19, 2006 | Not Detected | mg/L | |
| Selenium | January 19, 2006 | Not Detected | mg/L | |
| Sodium | 10 February, 2004 | 9.35 | mg/L | |
| Uranium | January 19, 2006 | Not Detected | μg/L | |
| Fluoride | 10 February, 2004 | 0.58 | mg/L | - 1 |
| Nitrite | January 19, 2006 April 4, 2006 July 6, 2006 | Not Detected Not Detected Not Detected | mg/L | |

Drinking-Water Systems Regulations
Part III - Form 2 (PIBS 4435E Version January 2005)

Page 4 of 6

| · | · | | • |
|---|---|----------------------------------|---|
| | | en and an analysis of the second | |
| | | | |
| | | | |
| | ; | | |
| | | | |
| | | | |
| | | | |

Ministry of the Ministère de

Drinking-Water Systems Regulation O. Reg. 170/03

| | October 3, 2006 | Not Detected | | |
|---------|------------------|--------------|--------|---------------------------------------|
| Nitrate | January 19, 2006 | 0.6 | mg/L | · · · · · · · · · · · · · · · · · · · |
| | April 4, 2006 | 0.3 | 111g/D | |
| | July 6, 2006 | 0.1 | } | |
| | October 3, 2006 | 0.3 | | |

Summary of Organic parameters sampled during this reporting period or most recent

| Parameter | Sample Date | Result | Unit of | Exceedence |
|--|------------------------------------|-----------------------|--------------|---------------------------------------|
| Alachior | T 10 2006 | Value Not Detected | Measure | ļ |
| Aldicarb | January 19, 2006 | Not Detected | μg/Ľ | |
| | January 19, 2006 | | μg/L | ļ |
| Aldrin + Dieldrin | January 19, 2006 | Not Detected | μg/L | |
| Atrazine + N-dealkylated metobolites | January 19, 2006 | Not Detected | μg/L | |
| Azinphos-methyl | January 19, 2006 | Not Detected | μg/L | |
| Bendiocarb | January 19, 2006 | Not Detected | μg/L | |
| Benzene | January 19, 2006 | Not Detected | μg/L | |
| Benzo(a)pyrene | January 19, 2006 | Not Detected | μg/L | |
| Bromoxynil | January 19, 2006 | Not Detected | μg/L | |
| Carbaryl | January 19, 2006 | Not Detected | μg/L | |
| Carbofuran | January 19, 2006 | Not Detected | μg/L | |
| Carbon Tetrachloride | January 19, 2006 | Not Detected | μg/L | |
| Chlordane (Total) | January 19, 2006 | Not Detected | μg/L | |
| Chlorpyrifos | January 19, 2006 | Not Detected | μg/L | |
| Cyanazine | January 19, 2006 | Not Detected | μg/L | |
| Diazinon | January 19, 2006 | Not Detected | μg/L | |
| Dicamba | January 19, 2006 | Not Detected | μg/L | |
| 1,2-Dichlorobenzene | January 19, 2006 | Not Detected | μg/L | |
| 1,4-Dichlorobenzene | January 19, 2006 | Not Detected | μg/L | |
| Dichlorodiphenyltrichloroethane (DDT) + metabolites | January 19, 2006 | Not Detected | μg/L | |
| 1,2-Dichloroethane | January 19, 2006 | Not Detected | μg/L | |
| 1,1-Dichloroethylene | January 19, 2006 | Not Detected | μg/L | |
| (vinylidene chloride) | | | re L | |
| Dichloromethane | January 19, 2006 | Not Detected | μg/L | |
| 2-4 Dichlorophenol | January 19, 2006 | Not Detected | μg/L | |
| 2,4-Dichlorophenoxy acetic acid (2,4-D) | January 19, 2006 | Not Detected | μg/L | |
| Diclofop-methyl | January 19, 2006 | Not Detected | μg/L | - |
| Dimethoate | January 19, 2006 | Not Detected | μg/L | |
| Dinoseb | January 19, 2006 | Not Detected | μg/L | · · · · · · · · · · · · · · · · · · · |
| Diquat | January 19, 2006 | Not Detected | μg/L | |
| Diuron | January 19, 2006 | Not Detected | | |
| Glyphosate | January 19, 2006 | Not Detected | μ <u>g/L</u> | |
| Heptachlor + Heptachlor Epoxide | January 19, 2006 | Not Detected | μg/L | |
| Lindane (Total) | January 19, 2006 | Not Detected | μg/L 7 | |
| Malathion | January 19, 2006 | Not Detected | μg/L | |
| Methoxychlor | January 19, 2006 | Not Detected | μg/L | |
| Metolachlor | January 19, 2006 January 19, 2006 | Not Detected | μg/L | |
| Metribuzin | January 19, 2006 January 19, 2006 | Not Detected | μg/L | |
| Monochlorobenzene | | Not Detected | μg/L | |
| Monochioropenzere | January 19, 2006 | NOT Detected | μg/L | |

| Drinking-Water S | ystems Regulations |
|-------------------|-----------------------------------|
| Part III – Form 2 | (PIBS 4435E Version January 2005) |

/3

Drinking-Water Systems Regulation O. Reg. 170/03

| Paraquat | January 19, 2006 | Not Detected | μg/L | |
|------------------------------------|------------------|--------------|------|---|
| Parathion | January 19, 2006 | Not Detected | μg/L | |
| Pentachlorophenol | January 19, 2006 | Not Detected | μg/L | |
| Phorate | January 19, 2006 | Not Detected | μg/L | |
| Picloram | January 19, 2006 | Not Detected | μg/L | |
| Polychlorinated Biphenyls(PCB) | January 19, 2006 | Not Detected | μg/L | |
| Prometryne | January 19, 2006 | Not Detected | μg/L | |
| Simazine | January 19, 2006 | Not Detected | μg/L | |
| THM | January 19, 2006 | 0.0098 | mg/L | |
| (NOTE: show latest annual average) | | | | |
| Temephos | January 19, 2006 | Not Detected | μg/L | |
| Terbufos | January 19, 2006 | Not Detected | μg/L | |
| Tetrachloroethylene | January 19, 2006 | Not Detected | μg/L | , |
| 2,3,4,6-Tetrachlorophenol | January 19, 2006 | Not Detected | μg/L | |
| Triallate | January 19, 2006 | Not Detected | μg/L | |
| Trichloroethylene | January 19, 2006 | Not Detected | μg/L | |
| 2,4,6-Trichlorophenol | January 19, 2006 | Not Detected | μg/L | |
| 2,4,5-Trichlorophenoxy acetic acid | January 19, 2006 | Not Detected | μg/L | |
| (2,4,5-T) | | | | |
| Trifluralin | January 19, 2006 | Not Detected | μg/L | |
| Vinyl Chloride | January 19, 2006 | Not Detected | μg/L | |

List any Inorganic or Organic parameter(s) that exceeded half the standard prescribed in Schedule 2 of Ontario Drinking Water Quality Standards.

| Parameter | Result Value | Unit of Measure | Date of Sample |
|-----------|--------------|-----------------|----------------|
| | | | |
| | | | |

(Only if category is large municipal residential, small municipal residential, large municipal non residential, small municipal non residential, large non municipal non residential)

Drinking-Water Systems Regulations
Part III – Form 2 (PIBS 4435E Version January 2005)

Page 6 of 6

| Demograph of the second of the | | _ | |
|--|---------------------------------------|---|--|
| | · · · · · · · · · · · · · · · · · · · | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | : ! | | |
| | | | |
| | | | |
| | 1 | | |

Ontario

Ministry of the Environment l'Environment

Drinking-Water Systems Regulation O. Reg. 170/03

Part III Form 2
Section 11. ANNUAL REPORT.

Drinking-Water System Number: Drinking-Water System Name: Drinking-Water System Owner: Drinking-Water System Category:

Period being reported:

260002187
St Thomas Water Distribution System
Corporation of the City of St Thomas
WD Large Municipal Residential
January 1, 2006 to December 31, 2006

Complete if your Category is Large Municipa <u>Residential or Small Municipal Residential</u> Does your Drinking-Water System serve more than 10,000 people? Yes [X] No [] Is your annual report available to the public at no charge on a web site on the Internet? Yes [x] No [] Location where Summary Report required under O. Reg. 170/03 Schedule 22 will be available for inspection. St Thomas City Hall **Environmental Services** 545 Talbot Street St Thomas, Ontario N5P 3V7

| Complete for all other Categories. |
|--|
| Number of Designated Facilities served: |
| Did you provide a copy of your annual report to all Designated Facilities you serve? Yes [] No [] |
| Number of Interested Authorities you report to: |
| Did you provide a copy of your annual report to all Interested Authorities you report to for each Designated Facility? Yes [] No [] |

Note: For the following tables below, additional rows or columns may be added or an appendix may be attached to the report

List all Drinking-Water Systems (if any), which receive all of their drinking water from your system:

| Drinking Water System Name | Drinking Water System Number |
|--|------------------------------|
| St. Thomas Psychiatric Hospital Water Supply | 260005255 |
| | |

Did you provide a copy of your annual report to all Drinking-Water System owners that are connected to you and to whom you provide all of its drinking water?

Yes [x] No []

Drinking-Water Systems Regulations
Part III - Form 2 (PIBS 4435E Version January 2005)

Page 1 of 5

| - | Annual and Committee and Annual Committee and Committee an | (magazin aus a g | er i i i i i i i i i i i i i i i i i i i | |
|---------------|--|------------------|--|---|
| ! | | | | |
| • | | | | |
| : | | | | |
| : | | | | |
| : | | - - | | |
| : | | | | |
| • | | 1 | | |
| | | i ! : | | |
| | | ! | | |
| | | | | |
| | | • | | i |

| (V) Ontario | |
|-----------------|-----------------|
| Ministry of the | Ministère de |
| Environment | l'Environnement |

15

| Indicate how you notified system | users that your | annual report is | available, and is free |
|----------------------------------|-----------------|------------------|------------------------|
| of charge. | | | |

| [x] | Public | access | /notice | via | the | web |
|-----|---------------|--------|---------|-------|------|--------|
| | I HUIL | | HULLE | 7 444 | 14 V | 77 V N |

[x] Public access/notice via Government Office

Public access/notice via a newspaper

[x] Public access/notice via Public Request

[] Public access/notice via a Public Library

Public access/notice via other method _

Describe your Drinking-Water System

The water system services over 12,000 residences including 620 customers within the Municipality of Central Elgin. The system purchases it's water from the Elgin Area Water Supply System which extends from Lake Erie to the City of London. The St Thomas Distribution System consists of approximetely 260 km of water main.

List all water treatment chemicals used over this reporting period

Sodium Hypochlorite 12%

Were any significant expenses incurred to?

[] Install required equipment

[x] Repair required equipment

[] Replace required equipment

Please provide a brief description and a breakdown of monetary expenses incurred

| lease provide a brief description at | 4 |
|--------------------------------------|-----------|
| Water Meter Replacement Program | \$154,346 |
| Water Main Relining | \$513,242 |
| Decommission McKenzie Well | \$ 20,658 |
| Hydrant Maintenance | \$ 34,629 |
| Leak Detection Projects | \$ 20,000 |
| Valve Maintenance | \$147,175 |
| Water main Maintenance | \$197,440 |

Provide details on the notices submitted in accordance with subsection 18(1) of the Safe Drinking-Water Act or section 16-4 of Schedule 16 of O.Reg.170/03 and reported to Snills Action Centre

| Incident Date | Parameter | Result | Unit of Measure | Corrective Action | Corrective Action Date |
|--------------------|-----------------|--------|--------------------|---|------------------------|
| May 1, 2006 | Chlorine | .03 | Mg/l | Flush until a 0.32 mg/l residual achieved and resample | May 3, 2006 |
| August 16, 2006 | Total Coli-form | 4 | Count/100 ml | Resample | August 18, 2006 |

Drinking-Water Systems Regulations
Part III - Form 2 (PIBS 4435E Version January 2005)

Page 2 of 5

| : | | | |
|---|---|-------|--|
| | : | | |
| - | | | |
| : | |] | |
| : | | | |
| : | | | |
| | | · | |
| | | | |
| | | | |

16

Microbiological testing done under the Schedule 10, 11 or 12 of Regulation 170/03,

during this reporting period.

| | Number of Samples | Range of E.Coli Or Fecal Results (min #)-(max #) | Range of Total Coliform Results (min #)-(max #) | Number of HPC Samples | Range of HPC Results (min #)-(max #) |
|--------------|-------------------------|---|--|-----------------------------|--|
| Raw | | | | | |
| Treated | | | | | |
| Distribution | 558 | 0-0 | 0-4 | 140 | <10-110 |

Operational testing done under Schedule 7, 8 or 9 of Regulation 170/03 during the

period covered by this Annual Report.

| perioa co rerea o | J the remain | this it had an acopoin | | | | |
|---|------------------------------|-------------------------------------|--|--|--|--|
| | Number of Grab Samples | Range of Results (min #)-(max #) | | | | |
| On-line Chlorine | 8760 | .43-1.99 | | | | |
| Chlorine (bacti samples) | 558 | .08-2.00 | | | | |
| Fluoride (If the DWS provides fluoridation) | | | | | | |

NOTE: For continuous monitors use 8760 as the number of samples.

NOTE: Record the unit of measure if it is not milligrams per litre.

Summary of additional testing and sampling carried out in accordance with the

requirement of an approval, order or other legal instrument.

| Date of legal instrument issued | Parameter | Date Sampled | Result | Unit of Measure |
|---------------------------------|-----------|--------------|--------|-----------------|
| | | | | |
| | | | | |

Summary of Inorganic parameters tested during this reporting period or the most

recent sample results

| Parameter | Sample Date | Result Value | Unit of Measure | Exceedance |
|------------|-------------|--|-----------------|------------|
| Silver | 05/19/2006 | .05 | μg/L | |
| Aluminum | 05/19/2006 | 23.8 | μg/L | |
| Arsenic | 05/19/2006 | 0.9 | μg/L | |
| Barium | 05/19/2006 | 23.0 | μg/L | |
| Beryillium | 05/19/2006 | <0.04 | μg/L | |
| Boron | 05/19/2006 | 6 | μg/L | |
| Bismuth | 05/19/2006 | <0.02 | μg/L | |
| Calcium | 05/19/2006 | 34.9 | μg/L | _ |
| Cadmium | 05/19/2006 | 0.06 <mdl< td=""><td>μg/L</td><td></td></mdl<> | μg/L | |
| Cobalt | 05/19/2006 | 0.060 | μg/L | h · · |
| Chromium | 05/19/2006 | 0.8 | μg/L | · |

Drinking-Water Systems Regulations
Part III – Form 2 (PIBS 4435E Version January 2005)

Page 3 of 5

| • | |
|---------------|--|
| | |
| ! : | |
| | |
| | |
| i 1 1 | |
| | |
| | |
| | |
| | |

♥ Ontario

Ministry of the Ministère de Environment l'Environnement Drinking-Water Systems Regulation O. Reg. 170/03

| | · | • • | • | |
|------------|------------|--|------|--|
| Cooper | 05/19/2006 | 4.4 | μg/L | |
| Iron | 05/19/2006 | 10 <mdl< td=""><td>mg/L</td><td></td></mdl<> | mg/L | |
| Potassium | 05/19/2006 | 1.49 | mg/l | , |
| Lithium | 05/19/2006 | 2.8 | μg/L | |
| Magnesium | 05/19/2006 | 9.44 | mg/l | |
| Manganese | 05/19/2006 | 1.09 | μg/L | · · · · · · · · · · · · · · · · · · · |
| Molybdenum | 05/19/2006 | 1.35 | μg/L | |
| Sodium | 05/19/2006 | 9.09 | mg/l | <u></u> |
| Nickel | 05/19/2006 | 1.1 | μg/L | |
| Lead | 05/19/2006 | .50 | μg/L | |
| Antimony | 05/19/2006 | 0.2 | μg/L | |
| Selenium | 05/19/2006 | 3 <mdl< td=""><td>μg/L</td><td></td></mdl<> | μg/L | |
| Silica | 05/19/2006 | .22 | mg/l | |
| Tin | 05/19/2006 | <0.3 | μg/L | |
| Strontium | 05/19/2006 | 160 | μg/L | ······································ |
| Titanium | 05/19/2006 | <0.2 | μg/L | · |
| Thallium | 05/19/2006 | <0.1 | μg/L | · |
| Uranium | 05/19/2006 | 0.06 | μg/L | |
| Vanadium | 05/19/2006 | 2.02 | μg/L | |
| Tungsten | 05/19/2006 | 0.010 | μg/L | |
| Yttrium | 05/19/2006 | 0.010 | μg/L | · · · · · · · · · · · · · · · · · · · |
| | | | | |

Summary of Organic parameters sampled during this reporting period or the most recent sample results

| Parameter | Sample | Result | Unit of | Exceedance |
|---|----------|--------------|---------|------------|
| | Date | Value | Measure | |
| Alachlor | 19/01/06 | Not detected | μg/L | |
| Aldicarb | 19/01/06 | Not detected | μg/L | |
| Aldrin + Dieldrin | 19/01/06 | Not detected | μg/L | |
| Atrazine + N-dealkylated metobolites | 19/01/06 | Not detected | μg/L | |
| Azinphos-methyl | 19/01/06 | Not detected | μg/L | |
| Bendiocarb | 19/01/06 | Not detected | μg/L | |
| Benzene | 19/01/06 | Not detected | μg/L | |
| Benzo(a)pyrene | 19/01/06 | Not detected | μg/L | |
| Bromoxynil | 19/01/06 | Not detected | μg/L | |
| Carbaryl | 19/01/06 | Not detected | μg/L | |
| Carbofuran | 19/01/06 | Not detected | μg/L | |
| Carbon Tetrachloride | 19/01/06 | Not detected | μg/L | |
| Chlordane (Total) | 19/01/06 | Not detected | μg/L | |
| Chlorpyrifos | 19/01/06 | Not detected | μg/L | |
| Cyanazine | 19/01/06 | Not detected | μg/L | |
| Diazinon | 19/01/06 | Not detected | μg/L | |
| Dicamba | 19/01/06 | Not detected | μg/L | |
| 1,2-Dichlorobenzene | 19/01/06 | Not detected | μg/L | |
| 1,4-Dichlorobenzene | 19/01/06 | Not detected | μg/L | |
| Dichlorodiphenyltrichloroethane (DDT) + metabolites | 19/01/06 | Not detected | μg/L | |

Drinking-Water Systems Regulations
Part III - Form 2 (PIBS 4435E Version January 2005)

| P | a | g | e | 4 | of | 5 |
|---|---|---|---|---|----|---|
| | | | | | | |

Ministry of the Environment l'Environment

Drinking-Water Systems Regulation O. Reg. 170/03

| 1,2-Dichloroethane |
|---|
| (vinylidene chloride) Dichloromethane 19/01/06 Not detected μg/L |
| 2-4 Dichlorophenol 19/01/06 Not detected μg/L |
| 2,4-Dichlorophenoxy acetic acid (2,4-D) 19/01/06 Not detected μg/L |
| Diclofop-methyl 19/01/06 Not detected μg/L |
| Dimethoate 19/01/06 Not detected μg/L |
| Dinoseb 19/01/06 Not detected μg/L |
| Diquat 19/01/06 Not detected μg/L |
| Diuron 19/01/06 Not detected μg/L |
| Glyphosate 19/01/06 Not detected μg/L |
| Heptachlor + Heptachlor Epoxide 19/01/06 Not detected μg/L |
| Lindane (Total) 19/01/06 Not detected μg/L Malathion 19/01/06 Not detected μg/L Methoxychlor 19/01/06 Not detected μg/L Metolachlor 19/01/06 Not detected μg/L Metribuzin 19/01/06 Not detected μg/L Monochlorobenzene 19/01/06 Not detected μg/L |
| Malathion 19/01/06 Not detected μg/L Methoxychlor 19/01/06 Not detected μg/L Metolachlor 19/01/06 Not detected μg/L Metribuzin 19/01/06 Not detected μg/L Monochlorobenzene 19/01/06 Not detected μg/L |
| Methoxychlor 19/01/06 Not detected μg/L Metolachlor 19/01/06 Not detected μg/L Metribuzin 19/01/06 Not detected μg/L Monochlorobenzene 19/01/06 Not detected μg/L |
| Metolachlor 19/01/06 Not detected μg/L Metribuzin 19/01/06 Not detected μg/L Monochlorobenzene 19/01/06 Not detected μg/L |
| Metribuzin 19/01/06 Not detected μg/L Monochlorobenzene 19/01/06 Not detected μg/L |
| Monochlorobenzene 19/01/06 Not detected μg/L |
| |
| Paraquat 19/01/06 Not detected μg/L |
| |
| Parathion 19/01/06 Not detected μg/L |
| Pentachlorophenol 19/01/06 Not detected μg/L |
| Phorate 19/01/06 Not detected μg/L |
| Picloram 19/01/06 Not detected μg/L |
| Polychlorinated Biphenyls(PCB) 19/01/06 Not detected µg/L |
| Prometryne 19/01/06 Not detected μg/L |
| Simazine 19/01/06 Not detected µg/L |
| THM 2006 18.6 µg/L (NOTE: show latest annual average) |
| Temephos 19/01/06 Not detected μg/L |
| Terbufos 19/01/06 Not detected μg/L |
| Tetrachloroethylene 19/01/06 Not detected μg/L |
| 2,3,4,6-Tetrachlorophenol 19/01/06 Not detected μg/L |
| Triallate 19/01/06 Not detected μg/L |
| Trichloroethylene 19/01/06 Not detected μg/L |
| 2,4,6-Trichlorophenol 19/01/06 Not detected μg/L |
| 2,4,5-Trichlorophenoxy acetic acid (2,4,5-T) 19/01/06 Not detected µg/L |
| Trifluralin 19/01/06 Not detected μg/L |
| Vinyl Chloride 19/01/06 Not detected μg/L |

List any Inorganic or Organic parameter(s) that exceeded half the standard prescribed in Schedule 2 of Ontario Drinking Water Quality Standards.

| Parameter | Result Value | Unit of Measure | Date of Sample |
|-----------|--------------|-----------------|----------------|
| | | | |

| Drinking-Water S | ystems Regulations |
|-------------------|-----------------------------------|
| Part III – Form 2 | (PIBS 4435E Version January 2005) |

Page 5 of 5

| | processors and a second-second | 1 | 7- |
|-----|--------------------------------|-------|----|
| : | | ! | |
| | ! | i | |
| : | | ì | |
| | | : | |
| : | | | |
| | | į | |
| | | | |
| | ſ | ! | |
| | | 1 | |
| i : | | i | |
| ٠. | | | |
| | | ; | |
| , | | 1 | |
| | | ļ. | |
| | | ì | |
| | | į | |
| : | | | |
| | | ! | |
| | | i | |
| | | : | |
| . | | i | |
| 1 | | i | |
| | l | i | |
| | | | |
| | | • | |
| | | i | |
| | | | |
| | | ' | |
| | | i | |
| : i | | İ | |
| | | i | |
| : | | į. | |
| | | i | |
| | | ! | |
| | | 1 | |
| | | | |
| | | | |

| (Only if DWS category is large municipal residential, small municipal residential, non municipal year round residential, large non municipal residential) Drinking-Water Systems Regulations Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
|---|----------|---|---------------------------------------|--------------------|-------------------|------------------|
| municipal non residential, non municipal year round residential, large non municipal residential) Drinking-Water Systems Regulations Part III – Form 2 (FIBS 4435E Version January 2005) | | Only if DWS cated | ory is large mur | picinal residentis | al small munic | inal residential |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | municipal non resid | lential, non mun | icipal year roun | id residential, l | arge non munici |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | | |
| | | | | | | |
| | D: Pa | rinking-Water Syster art III – Form 2 (PIB | ns Regulations S 4435E Version Jar | nuary 2005) | | Page 6 of |
| | Pa | rinking-Water Syster art III – Form 2 (PIB | ns Regulations S 4435E Version Jar | nuary 2005) | | Page 6 of |
| | Pa | rinking-Water Syster art III – Form 2 (PIB | ns Regulations S 4435E Version Jan | nuary 2005) | | Page 6 of |
| | Pa | rinking-Water Syster art III – Form 2 (PIB | ns Regulations S 4435E Version Jar | nuary 2005) | | Page 6 of |
| | Pa | rinking-Water Syster art III – Form 2 (PIB | ns Regulations S 4435E Version Jan | nuary 2005) | | Page 6 of |
| | Pa | rinking-Water Syster art III – Form 2 (PIB | ns Regulations S 4435E Version Jan | nuary 2005) | | Page 6 of |
| • • • • • • • • • • • • • • • • • • • | Pa | rinking-Water Syster art III – Form 2 (PIB | ns Regulations S 4435E Version Jan | nuary 2005) | | Page 6 of |

| ♥ Ontario | |
|-----------------|------------------------------|
| Ministry of the | Ministère de l'Environnen |

Part III Form 2 Section 11. ANNUAL REPOR

Drinking-Water System Number: Drinking-Water System Name: Drinking-Water System Owner:

26000871 (as of January 2007 260078897) St Thomas Secondary Distribution System Joint ownership between the

City of St. Thomas,

Municipality of Central Elgin Township of Southwold

Large Municipal Residential

Drinking-Water System Category:

Period being reported:

January 1, 2006 through December 31, 2006

Complete if your Category is Large Municipal Residential or Small Municipal Residential

Does your Drinking-Water System serve more than 10,000 people? Yes [X] No []

Is your annual report available to the public at no charge on a web site on the Internet? No [] Yes [X]

Location where Report required under O. Reg. 170/03 Schedule 22 will be available for inspection.

St. Thomas City Hall 545 Talbot Street, St. Thomas, Ontario N5P 3V7

Complete for all other Categories.

Number of Designated Facilities served:

N/A

Did you provide a copy of your annual report to all Designated Facilities you serve?

Yes [] No []

Number of Interested Authorities you report to: N/A

Did you provide a copy of your annual report to all Interested Authorities you report to for each Designated Facility? Yes [] No []

Note: For the following tables below, additional rows or columns may be added or an appendix may be attached to the report

List all Drinking-Water Systems (if any), which receive all of their drinking water from vour system:

| Drinking Water System Name | Drinking Water System Number | | |
|---------------------------------------|------------------------------|--|--|
| City of St. Thomas Water Distribution | 260002187 | | |
| System | | | |
| Municipality of Central Elgin | 260004761 | | |
| Municipality of Southwold | 210001362 | | |

Drinking-Water Systems Regulations

Page 1 of 6

| Part III – Form 2 (PIBS 4435E Version January 2005) | | | | | |
|---|--------|-----|--|--|--|
| | | • • | | | |
| | | | | | |
| | | ľ | | | |
| | | | | | |
| | : | | | | |
| | | | | | |
| | | Ì | | | |
| | | | | | |
| | ! | | | | |
| | 1 | | | | |
| | ! | | | | |
| | | | | | |
| | ! : | | | | |
| | ! : | 1 | | | |

| 8 | Onta | rio | |
|---|------|-----|--|
| | | | |

2/

Did you provide a copy of your annual report to all Drinking-Water System owners that are connected to you and to whom you provide all of its drinking water?

Yes [X] No []

| ndicate how you notified system users that your annual report is available, and is | free |
|--|------|
| of charge. | |
| X] Public access/notice via the web | |
| Public access/notice via a newspaper | |
| X Public access/notice via Public Request | |
| Public access/notice via a Public Library | |
| Public access/notice via other method | |

Describe your Drinking-Water System

The Elgin – Middlesex Pumping Station serves the City of St Thomas which has a maximum daily flow of 69319 m³/day and consists of a reservoir, booster pumping and re-chlorination station located at Lot 9, Concession 9, Former Township Of Yarmouth (NAD 83: UTM ZONE 17: 488296.00 m E., 4737955.00 m N.)

Housing storage, Treatment, Pumping and Control Facilitates including: A Dual – Celled Reservoir shared amongst The City of St. Thomas, The Town of Aylmer, and the City of London/County of Middlesex, with each cell having a 27, 300 m³ capacity.

Three high lift pumps each rated at 316 L/s AT 41.1 m TDH. (Two Duty, One Standby)

A Sodium Hypochlorite Disinfection System located in a separate room and consisting of two 16, 320 L storage tanks shared amongst the City of St. Thomas, The Town of Aylmer, and the City of London/County of Middlesex.

Four chemical metering pumps each rated at 20.4 L/h at 1000 kPa, two of which (one duty, one standby) are available for the City of St Thomas.

A 600 KW Diesel engine standby power generator set, and associated equipment located in a separate room shared between the City of St. Thomas and the Town of Aylmer

The St Thomas Secondary Distribution System was constructed to supply treated water to the City of St. Thomas, the Ford Motor Company Assembly Plant near Talbotville, and the Municipality of Southwold The system consists of an Elevated Water Tower storage tank and trunk water mains to the Ford Plant. A 750mm diameter waterman is connected to the Primary System at the Old St. Thomas water works site on South Edgeware Road. The pipeline then connects to the Elevated Storage Tank a 0.76 ML (200,000 gallon) steel teardrop elevated tank that is located just off Watertower Line Road near Waterworks Park in the City of St. Thomas. The pipeline then extends west for approximately 2.6 km along Edgeware Road to County Road 26 and then along Bostwick Road before turning northwesterly for approximately 3.6 km. to the Ford Motor Company Assembly Plant located

| Drinking-Water S | ystems Regulations |
|-------------------|-----------------------------------|
| Part III - Form 2 | (PIBS 4435E Version January 2005) |

Page 2 of 6

| | | (1125) | | ,, |
|---|---|-------------|-----|--------|
| | | | *** | |
| [| | | | : |
| | | | | · |
| ! | | į | | |
| | | ! | | |
| | | İ | | |
| | | ! | | |
| i | | ļ | | |
| | | 1 | | |
| ÷ | | | | |
| ! | | į | | |
| | | | | |
| | | į | | |
| | } | | | |

Ministry of the Ministère de Environment l'Environnement

Drinking-Water Systems Regulation O. Reg. 170/03

on Concession Road 11. At the intersection of Bostwick Line and Talbotville Road, the diameter of the pipeline is reduced to 500mm.

List all water treatment chemicals used over this reporting period

| 12% | Sodiu | ım Hy | pochlorite | • |
|------|-------|--------|------------|---|
| Sodi | um M | etabis | ulphite | |

Were any significant expenses incurred to?

- [] Install required equipment
- [X] Repair required equipment
- [X] Replace required equipment

Describe

Replaced #3 Booster Pump rebuild #3 Electrical Motor

Replaced station sump Pump

Replaced one and rebuild 2 water discharge control valves

Replaced station isolation valves

Replace Pressure Relief valves

Meter Chamber Inspection and repair report

Replace Chlorine Residual Analyzer

Provide details on the notices submitted in accordance with subsection 18(1) of the Safe Drinking-Water Act or section 16-4 of Schedule 16 of O.Reg.170/03 and reported to Spills Action Centre?

Unit of Corrective Corrective Result Parameter Incident Date **Action Date** Measure Action

Microbiological testing done under section 8 (2) during this reporting period

| | Number of Samples | Range of E.Coli or Fecal Results (#-#) | Range of Total Coliform Results (#-#) | Number of HPC Samples | Range of HPC Results (#-#) |
|-----------------------------|-------------------------|--|---|-----------------------------|----------------------------------|
| Raw | | | | | |
| Distribution (Am. Water) | 51 | 0 - 0 | 0 - 0 | 51 | <10 - 20 |
| Distribution St Thomas | 149 | 0-0 | 0-0 | 39 | 0-10 |

| Drinking-Water Sy | ystems Regulations |
|-------------------|-----------------------------------|
| Part III - Form 2 | (PIBS 4435E Version January 2005) |

Page 3 of 6

| Part III - Form 2 (PIBS 4435E Version January 2005) | | | 3 |
|---|-------|-----|----------|
| - have | i i e | · 1 | |
| : | ; | | |
| | i | | |
| : | | | |
| | | | |
| | | | ! |
| | | | |
| | | | · · |
| | | | |
| | | | |
| | | | |
| | ! | i i | |
| i | | | İ |
| | | | |
| i | | | I. |
| | i | | |
| | | | |
| | | | |
| 1 I | | B C | 11 |

Operational testing done under Schedule 7, 8 or 9 during the period covered by this

Annual Report

| | Number of Grab Samples | Range of Results (#-#) |
|------------------------------------|------------------------------|---------------------------|
| Turbidity (NTU) | 8760 | |
| Chlorine | 8760 | 0.2 -5.00 |
| Chlorine Distribution System | 8760 | 0.43-1.99 |

NOTE: For continuous monitors use 8760 as the number of samples.

NOTE: Record the unit of measure if it is not milligrams per litre.

Summary of additional testing and sampling carried out in accordance with the requirement of an approval or order.

| Date of order or C of A | Parameter | Date Sampled | Result | Unit of Measure |
|-------------------------|-----------|--------------|--------|-----------------|
| | • | | | |

Summary of Inorganic parameters tested during this reporting period or most recent

| Parameter | Sample Date | Result Value | Unit of Measure | Exceedence |
|-----------|-------------------|-----------------|-----------------|------------|
| Antimony | January 19, 2006 | Not Detected | μg/L | |
| Arsenic | January 19, 2006 | Not Detected | μg/L | |
| Barium | January 19, 2006 | 24 | μg/L | |
| Boron | January 19, 2006 | 19 | μg/L | |
| Cadmium | January 19, 2006 | Not Detected | μg/L | |
| Chromium | January 19, 2006 | Not Detected | μg/L | |
| Lead | January 19, 2006 | Not Detected | μg/L | |
| Mercury | January 19, 2006 | Not Detected | mg/L | |
| Selenium | January 19, 2006 | Not Detected | mg/L | |
| Sodium | February 10, 2006 | 9.35 | mg/L | |
| Uranium | January 19, 2006 | Not Detected | μg/L | |
| Fluoride | January 19, 2006 | 0.58 | mg/L | |
| Nitrite | October 3, 2006 | 0.3 | mg/L | |

Summary of Organic parameters sampled during this reporting period or most recent

| Parameter | Sample Date | Result Value | Unit of Measure | Exceedence |
|--------------------------------------|------------------|-----------------|--------------------|------------|
| | | | Measure | |
| Alachlor | January 19, 2006 | Not Detected | μg/L | |
| Aldicarb | January 19, 2006 | Not Detected | μg/L | |
| Aldrin + Dieldrin | January 19, 2006 | Not Detected | μg/L | |
| Atrazine + N-dealkylated metobolites | January 19, 2006 | Not Detected | μg/L | |
| Azinphos-methyl | January 19, 2006 | Not Detected | μg/L | |
| Bendiocarb | January 19, 2006 | Not Detected | μg/L | |
| Benzene | January 19, 2006 | Not Detected | μg/L | |
| Benzo(a)pyrene | January 19, 2006 | Not Detected | μg/L | |

Drinking-Water Systems Regulations Part III - Form 2 (PIBS 4435E Version January 2005)

Page 4 of 6

Ministry of the Ministère de Environment l'Environnement

Drinking-Water Systems Regulation O. Reg. 170/03

January 19, 2006 Not Detected Bromoxynil μg/L January 19, 2006 Not Detected Carbaryl μg/L Not Detected Carbofuran January 19, 2006 μg/L Carbon Tetrachloride Not Detected January 19, 2006 μg/L Chlordane (Total) January 19, 2006 Not Detected μg/L January 19, 2006 Not Detected Chlorpyrifos μg/L January 19, 2006 Not Detected Cyanazine μg/L Not Detected January 19, 2006 Diazinon μg/L January 19, 2006 Dicamba Not Detected μg/L Not Detected 1,2-Dichlorobenzene January 19, 2006 μg/L January 19, 2006 Not Detected 1,4-Dichlorobenzene μg/L Dichlorodiphenyltrichloroethane January 19, 2006 μg/L Not Detected (DDT) + metabolites Not Detected January 19, 2006 μg/L 1,2-Dichloroethane January 19, 2006 Not Detected $\mu g/\bar{L}$ 1,1-Dichloroethylene (vinylidene chloride) Not Detected Dichloromethane January 19, 2006 μg/L January 19, 2006 Not Detected 2-4 Dichlorophenol μg/Ĺ Not Detected μg/L 2,4-Dichlorophenoxy acetic acid January 19, 2006 (2.4-D)Not Detected Diclofop-methyl January 19, 2006 μg/L January 19, 2006 Not Detected Dimethoate μg/L Not Detected January 19, 2006 Dinoseb μg/L Not Detected January 19, 2006 Diquat μg/L January 19, 2006 Not Detected Diuron μg/L January 19, 2006 Not Detected Glyphosate μg/L January 19, 2006 Not Detected μg/L Heptachlor + Heptachlor Epoxide January 19, 2006 Not Detected Lindane (Total) μg/L Not Detected Malathion January 19, 2006 μg/L Not Detected Methoxychlor January 19, 2006 μg/L January 19, 2006 Not Detected Metolachlor μg/L Not Detected January 19, 2006 μg/L Metribuzin Not Detected January 19, 2006 Monochlorobenzene μg/L January 19, 2006 Not Detected Paraquat μg/L January 19, 2006 Not Detected Parathion μg/L Not Detected Pentachlorophenol January 19, 2006 μg/L Not Detected January 19, 2006 Phorate μg/L January 19, 2006 Not Detected **Picloram** μg/L January 19, 2006 Not Detected Polychlorinated Biphenyls(PCB) μg/L January 19, 2006 Not Detected μg/L Prometryne January 19, 2006 Not Detected Simazine μg/L μg/L January 19, 2006 0.0148 THM (NOTE: show latest annual average) Not Detected μg/L January 19, 2006 Temephos Not Detected μg/L January 19, 2006 **Terbufos** January 19, 2006 Not Detected Tetrachloroethylene μg/L 2,3,4,6-Tetrachlorophenol January 19, 2006 Not Detected μg/L January 19, 2006 Not Detected Triallate μ g/L January 19, 2006 μg/L Not Detected Trichloroethylene January 19, 2006 Not Detected 2,4,6-Trichlorophenol μg/L January 19, 2006 Not Detected 2,4,5-Trichlorophenoxy acetic acid μg/L (2,4,5-T)January 19, 2006 Not Detected Trifluralin μg/L

| Drinking-Water S | ystems Regulations |
|-------------------|-----------------------------------|
| Part III – Form 2 | (PIBS 4435E Version January 2005) |

| Page 5 of | t |
|-----------|---|
|-----------|---|

| (A) | O | nta | ario | |
|------------|---|-----|------|--|
| | | | | |

| Vinyl Chloride | January 19, 2006 | Not Detected | μg/L | |
|----------------|------------------|--------------|------|--|


List any Inorganic or Organic parameter(s) that exceeded half the standard prescribed in Schedule 2 of Ontario Drinking Water Quality Standards.

| Parameter | Result Value | Unit of Measure | |
|-----------|--------------|-----------------|--|
| | | | |
| L | | | |

(Only if category is large municipal residential, small municipal residential, large municipal non residential, small municipal non residential, large non municipal non residential)

Drinking-Water Systems Regulations Part III - Form 2 (PIBS 4435E Version January 2005)

Page 6 of 6



Recommendation

THAT: Council receive Report CC-10-07 as information, and further,

THAT: The Regular Council Meetings for the summer be scheduled for Monday, July 16th and Monday, August 13th; and further,

THAT: these meetings be scheduled to commence at 5:00 p.m.

Background

Respectfully,

Annually it has been the practice of Council to reduce the number of regularly scheduled meetings during the summer months to one meeting per month. In the past these meetings have begun at 5:00 p.m..

Of note is the ability to call special meetings at any time should they be warranted.

Identifying the summer schedule at this time will permit staff to organize work plans and reports and also allow Council and staff to effectively schedule holidays.

As a follow-up to the discussion at the previous Council meeting, members were contacted and the majority have stated that are available for the recommended dates.

| W. Graves, City Clerk | | | | | |
|------------------------|--------------|----------|------------|---------------|-------|
| Reviewed By: Treasury | Env Services | Planning | City Clerk | Comm Services | Other |





Corporation of the City of St. Thomas

Report No. CC-08-07

File No.

Chairman David Warden and Members of Date

Directed to: Committee of the Whole (Protective Services and

Committee of the Whole (Protective Services and Transportation)

26 February 2007

Department: City Clerk's Attachment

Prepared By: Dale Arndt, Airport Superintendent

Subject: Airport Use Quarterly Report - October 1st, 2006 to December 31st, 2006

Recommendation:

THAT: The Airport Use Quarterly Report for October 1st to December 31st, 2006 be received and filed for information.

4th Quarter Review:

Corporate traffic was up 24 % compared to the same quarter in 2005.

Aviation (100LL) fuel sales were up 9% over the same quarter in 2005.

Jet A sales were down 45 % over the same quarter in 2005.

Aviation sales are for 2006 exceeded 2005 sales by 23,400 L as forecasted.

Our reduced customs service continued to be a significant obstacle in delivering the service our corporate and charter operators require.

Corporate Flights

| | 1st <u>Quarter</u> | 2nd <u>Quarter</u> | 3rd <u>Quarter</u> | 4th <u>Quarter</u> | TOTAL |
|------|-----------------------|-----------------------|-----------------------|-----------------------|-------|
| 2006 | 24 | 60 | 120 | 42 | 246 |
| 2005 | 32 | 52 | 75 | 32 | 191 |
| 2004 | 20 | 42 | 83 | 24 | 169 |
| 2003 | 26 | 38 | 79 | 25 | 168 |
| 2002 | 21 | 51 | 60 | 25 | 157 |

Aviation Fuel Sales (in litres)

| | 1st <u>Quarter</u> | 2nd <u>Quarter</u> | 3rd <u>Quarter</u> | 4th <u>Quarter</u> | TOTAL |
|------|-----------------------|-----------------------|-----------------------|-----------------------|---------|
| 2006 | 16,484 | 53,066 | 62,556 | 23,413 | 155,519 |
| 2005 | 16,360 | 45,641 | 77,266 | 21,300 | 160,567 |
| 2004 | 17,500 | 41,515 | 73,770 | 18,465 | 151,250 |
| 2003 | 20,970 | 57,946 | 65,321 | 26,061 | 170,298 |
| 2002 | 21,908 | 55,166 | 94,137 | 25,118 | 196,329 |



 $\underline{\textbf{Turbo Fuel Sales}} \hspace{0.1cm} (\text{in litres})$

| | 1st <u>Quarter</u> | 2nd <u>Quarter</u> | 3rd <u>Ouarter</u> | 4th <u>Quarter</u> | TOTAL |
|------|-----------------------|-----------------------|-----------------------|-----------------------|--------|
| 2006 | 7,699 | 32,870 | 27,400 | 10,310 | 78,279 |
| 2005 | 6,680 | 7,797 | 17,134 | 18,200 | 49,811 |
| 2004 | 4,200 | 8,652 | 28,360 | 13,493 | 54,705 |
| 2003 | 5,912 | 7,359 | 17,356 | 16,823 | 37,450 |
| 2002 | 3,072 | 7,351 | 15,122 | 15,982 | 41,527 |

Respectfully submitted,

Dale Arndt,

Airport Superintendent

Reviewed By: Treasury Env Services Planning CityClerk Comm Services Other



Corporation of the

City of St. Thomas

Report No.

FD02-07

File No.

Directed to:

Chairman Dave Warden and Members of Protective

Date

Services Committee

St. Thomas Fire Department

Feb 26, 2007 **Attachment**

Department: Prepared By:

Fire Chief Bob Barber

Subject:

Sale of Dispatch Equipment

Recommendation:

"THAT" Report FD02-07 be received as information and further;

"THAT" Council authorize the Fire Department to sell all of the surplus dispatching infrastructure that was used for Elgin County Fire dispatching, to the Ad Hoc Fire Committee representing the Fire Departments of Elgin County. Total purchase price is \$21,478.50.

Analysis

In November of 2006 Council authorized the Fire Department to terminate all Elgin County Fire Dispatch agreements. This was carried out as of December 1, 2007 and all agreements will expire May 31, 2007. The County Committee have sent a RFP out for dispatching services and are currently close to an agreement with a new provider.

This same Committee approached the St. Thomas Fire Department to inquire about purchasing our existing infrastructure. The Treasury Department and specifically the Purchasing Division were consulted and it was determined that direct negotiations was an appropriate method of dealing with this surplus equipment. Subsequently, St. Thomas Fire Department had all of our equipment inventoried with original costs. Most of the equipment is 10 years old and in good condition.

Financial Considerations

Negotiations ensued and the Elgin County Ad Hoc Committee has agreed to pay a total of \$21,478.50 for this equipment, which is 50% of the original value.

Staff feels that this is a fair price for both sides and recommends the sale.

Fire Chief Bob Barber

Respectfully submitted,

Reviewed By: Env Services Planning City Clerk HR Other

| · · · · · · · · · · · · · · · · · · · | | |
|---------------------------------------|--|--------------------------------------|
| | Corporation of the | Report No. |
| | | ES32-07 |
| ST. THOMAS | City of St. Thomas | File No. |
| | | 05-014-00 |
| Directed to: | Alderman Dave Warden, Chair and Members of the Protective Services Committee of Council | Date |
| Donortuo | | March 5, 2007 |
| Department: | Environmental Services Department | |
| Prepared By: | Dave White - Supervisor of Roads and Transportation | Attachments Zone J/K/L maps on pages |
| · | | 3 4 8 5 |

School Area Review For Elementary School Children

Subject: Zone J - Monsignor Morrison School,

Zone K – St. Raphael's School, Zone L – St. Gabriel's School

Recommendation:

THAT: Report ES32-07 be received for information; and,

THAT: The Wc-2 school crossing signs at the intersection of Park Avenue and Mary Bucke Street be removed and replaced with Wc-7 pedestrian ahead signs during the months of July/August 2007 consistent with other Pedestrian Courtesy Crossings in the City; and,

THAT: Following the implementation of the above recommendations, that the School Area Review for School Zones J - Monsignor Morrison, K - St. Raphael's and L - St. Gabriel's Schools be considered complete based on existing conditions and school information.

Report:

Origin

At it's meeting of March 6, 2006 Report ES22-06 was addressed and the recommended <u>School Area Review Procedures</u> were carried by Council allowing staff to move forward and complete the School Area Reviews.

Analysis

Using approved policies and procedures provided during Steps 1-3, this report provides any recommendations on specific needs in specific school zones within the City and completes the School Crossing Review for that school zone. If required, please refer to the attached School Area Map as a reference when reviewing this report.

The London District Catholic School Board operates Monsignor Morrison, St. Raphael's and St. Gabriel's School in the City of St. Thomas. As a result of the school boundaries being so spread throughout the City, and the fact that all existing traffic control reported in the other school zones are shared by the separate board schools, it was decided that they be reported together in a slightly different format.

The North End of the City:

Zone J - Monsignor Morrison School (Students J.K. to 8),

Monsignor Morrison School is located on South Edgeware Road at Balaclava Street and serves J.K. to grade 8 students. This school serves the north end of the City with non-transportation boundaries as shown on the map attached.

All students within the non-transportation boundary come from the Zone A, Zone B and Zone C areas previously analyzed and reported. Most students are encouraged to use the west sidewalk of Balaclava Street as their safe route from home to school and have adequate traffic control devices along each route.

There are no additional recommendations beyond those included in the Zone A, B and C reports.

The South End of the City:

Zone K - St. Raphael's School (Students J.K. to 3),

St. Raphael's School is located on Parish Street and serves J.K. to grade 3 students. This school serves the south end of the City with non-transportation boundaries as shown on the map attached.

All students within the non-transportation boundary come from Zone G and Zone I areas previously analyzed and reported. Most students are encouraged to use the sidewalks on each side of Elm Street and Fairview Avenue as their safe route from home to school and have adequate traffic control devices along each route. The Adult Crossing Guard location at the corner of Elm Street and Park Avenue crosses children coming from north of Elm Street to the school. Park Avenue also acts as a safe route for most children coming from the north end of the zone to the school

There is an abandoned safety patrol crossing at the corner of Park Avenue and Mary Bucke Street. For consistency with recommendations in all other reports that the Wc-2 school crossing signs at the intersection of Park Avenue and Mary Bucke Street be removed and replaced with Wc-7 pedestrian ahead signs during the months of July/August 2007 consistent with other Pedestrian Courtesy

There are no additional recommendations beyond those included in the Zone G and I reports.

Zone L - St. Gabriel's School (Students Grade 4 - 8)

St. Gabriel's School is located on Park Avenue and serves grade 4 to grade 8 students. This school serves the south end of the City with non-transportation boundaries as shown on the map attached.

All students within the non-transportation boundary come from Zone G and Zone I areas previously analyzed and reported. Most students are encouraged to use the sidewalks on each side of Elm Street and Fairview Avenue as their safe route from home to school and have adequate traffic control devices along each route. The Adult Crossing Guard location at the corner of Elm Street and Park Avenue crosses children from south of Elm Street to the school.

There are no additional recommendations beyond those included in Zone G and I reports.

Additional Considerations:

There are a number of other devices to consider for this school area. The following is an explanation of what has been considered and comments on their typical justifications.




A Community Safety Zone By-law and Regulatory signs <u>are in place</u> on Park Avenue, Fairview Avenue and South Edgeware Road whereby any traffic infractions within these zones would be double fined. Unfortunately, there is no data that supports the effectiveness of this zone in these areas as being effective in reducing the vehicle speeds. The posted speed limit is currently 50 km/h on all roads.





Rb-6 (internally illuminated) or Rb-6A (maximum speed when flashing) could be installed along the school frontage but experience has found that they are only effective with routine enforcement of the chosen speed limit reduction. Also, the installation and ongoing maintenance of the signs are prohibitive and are subject routine failure and regular monitoring and re-timing of the time clock. There is no

recent traffic study that supports a revision to the posted speed limit on Park Avenue, Fairview Avenue and South Edgeware Road at this time.



Although a Pedestrian Traffic Signal (similar to what is indicated to the left at a four approach intersection) would not be technically justified in these school zones, the device could be a future option for traffic control on Fairview Avenue and Elm Street for crossing all pedestrians while removing the Adult Crossing Guard from the location. Supported by the Highway Traffic Act, upon a red signal indication vehicles must come to a full stop before proceeding through the signal on a green indication. A large capital

investment would be required for each location along with annual maintenance costs.

Financial Considerations

There are no effects on the Roads and Transportation budget as a result of the recommendations of this report.


Alternatives


Additional considerations are listed above

No further alternatives were considered at this time

Dave White, C. Tech Supervisor of Roads and Transportation
Environmental Services

| | <u> </u> | | | | |
|-----------------------|--------------|----------|------------|----|-------|
| Reviewed By: Treasury | Env Services | Planning | City Clerk | HR | Other |
| | | | | | |





THE THIRD REPORT OF THE 2007 SITE PLAN CONTROL COMMITTEE

March 6TH, 2007


Mayor Cliff Barwick and Members of City Council St. Thomas, Ontario

Your Site Plan Control Committee recommends as follows:

- 1. We approve the application of St. Thomas Psychiatric Hospital Day Care Centre (Early Learning Centre) for approval of site plans pertaining to the development of a proposed day nursery facility to be located on lands that may be described as Block 1, Registered Plan 11M-98, City of St. Thomas, County of Elgin, subject to the following conditions:
 - 1. Compliance shall be made with all applicable regulations,
 - 2. Development of the site shall be in accordance with the final approved plans,
 - 3. The final approved plans (amended as directed by the said Site Plan Committee) shall be filed with the Secretary of the Committee,
 - 4. That an agreement shall be entered into by the owner with the municipality in respect of the provision of all municipal requirements. The final approved plans shall be appended to the agreement and the agreement shall be registered on the title of the property,
 - 5. The following requirements shall be shown or noted on the approved plan(s) and/or incorporated into the agreement referred to above:
 - (a) a minimum 31 parking spaces and 3 disabled parking spaces shall be provided as shown on the approved plans,
 - (b) installation of portable signs shall not be permitted on this site,
 - (c) fencing shall be constructed as shown on the approved plans,
 - (d) the applicant will install accessibility improvements based on the recommendation of the Municipal Accessibility Advisory Committee, including the designation of disabled parking spaces with metal – post signage and the provision of curb cuts / access ramps for wheelchair / scooter access,
 - (e) the applicant undertake efforts to modify location of access to coincide with the existing Brookside Drive, and,
 - (f) the applicant meet the requirements of the Kettle Creek Conservation Authority in obtaining a fill permit relating to those areas of the proposed development within the KCCA's fill regulated area.
- 2. That the recommendations, directions and actions of the Site Plan Control Committee as set out in the minutes dated March 5th, 2007 be confirmed, ratified, and adopted.

All of which is respectfully submitted,

Mayor Cliff Barwick, Chairman Site Plan Control Committee /jek



St. Anne's Church

20 Morrison Drive, St. Thomas, Ontario N5R 4S6

February 26, 2007

Telephone: (519) 631-3640

Fax: (519) 631-7938

City of St. Thoma

Mr. W. Graves, City Clerk City of St. Thomas P.O. Box 520, City Hall St. Thomas, Ontario N5P 3V7 FEB 2 8 2007

City Clerk's Dept

Re: Travel Trailer Siting - St. Anne's Community Festival

Dear Mr. Graves:

The 36th Annual St. Anne's Community Festival is to take place on June 6,7, 8, 9, 2007 on the grounds of the Parish.

Attached is a copy of the letter of permission from the North America Railway Hall of Fame granting permission to allow the property (parking lot) surrounding the station to be used for the purpose of parking trailers and campers to serve as sleeping quarters for the St. Anne's carnival employees for the period of Sunday, June 3, 2006 to Sunday, June 10, 2006.

Assuming you grant permission for the above, we will request a Certificate of Insurance from World's Finest Shows for public liability and property damage insurance with a covering limit of \$5,000,000.00, certifying that the City of St. Thomas and the North American Railway Hall of Fame have been named as additional insureds for this event only, and this certificate will be submitted to you prior to the start of the event.

Please be advised that our insurance company, Catholic Mutual will also provide a Certificate of Coverage showing the City of St. Thomas as an Additional Protected Person(s) and you will also be sent a copy of that coverage.

All of the necessary conditions will be adhered to as in former years. Thank you for your co-operation.

Sincerely,

Father Rick Dales, Pastor

ful falls

RD:cf Enclosure



February 23, 2007

RE: Permission Granted to Use Property for Purposes Outlined Below,

Dear St. Anne's Festival Committee Members,

North America Railway Hall of Fame Board of Directors has approved the use of the station parking lot located at 750 Talbot Street, St. Thomas for the purpose of allowing the Midway employees and their families a location to serve as sleeping/rest quarters.

We ask that you please inform our office of the expected date and time of the arrival and departure of your Midway as soon as possible so that we can make any necessary arrangements.

As a condition of this approval we are requesting a copy of the insurance certificate naming North America Railway Hall of Fame as additional insured to be faxed or mailed to our office prior to the Midways arrival date.

We extend our best wishes for your continued success of the St. Anne's Festival and look forward to working with you again next year.

Sincerely,

Tanya Vernackt

Administrator

North America Railway Hall of Fame



99 Edward Street St. Thomas, Ontario N5P 1Y8 Telephone: (519) 631-9900 Toli Free Telephone: 1-800-922-0096

Fax: (519) 633-0468 www.elginhealth.on.ca

MAR 0 5 2007

City of St. Thomas

MAR 0 6 2007

The Honourable Dalton McGuinty Premier of Ontario Room 281 Main Legislative Building Toronto, ON

Dear Mr. Premier,

M7A 1A4

February 27, 2007

Re: Sale of Canadian Southern Railway to residential developers in St. Thomas

It has come to our attention that the Canadian Southern Railway Corridor, situated in St. Thomas Ontario, may be sold to an unknown residential developer. The Elgin St Thomas Health Unit is concerned that this potential sale of railway lands may threaten the preservation of not only railway heritage sites, but also the adjoining walking and cycling trail called the CASO Trans Canada Trail.

The Elgin St. Thomas Health Unit supports a suggestion made by the City of St. Thomas that the province purchases the land where the CASO railway corridor is located in St. Thomas. Our concern is that the sale to a developer could impact the health of our community by possibly removing one of the means this community has to walk and cycle in a safe and inexpensive manner.

Research has demonstrated that local trails that increase the connectivity of cities actually increase the frequency of active transportation and the amount that people walk. The CASO Trans Canada Trail provides such connectivity within St. Thomas. Walking regularly is one of the best forms of exercise that one can do as a means of preventing a host of chronic diseases, such as heart disease and certain types of cancer, not to mention the likelihood of becoming overweight or obese.

As a means of preserving the health and well being of this community, we hope that you consider purchasing the land that the CASO railway and the adjoining trails are situated on. Thank you for considering this suggestion.

Sincerely,

Beker

Dr. Sharon Baker Acting Medical Officer of Health

C. The Honourable Donna Cansfield, Minister of Transportation The Honourable Steve Peters, Minister of Labour Mayor Cliff Barwick, City of St. Thomas Members of St. Thomas City Council Minister of Municipal Affairs and Housing

777 Bay Street, 17th Floor Toronto ON M5G 2E5 Tel. (416) 585-7000 Fax (416) 585-6470 www.mah.gov.on.ca Ministre des Affaires municipales et du Logement

777, rue Bay, 17° étage Toronto ON M5G 2E5 Tél. (416) 585-7000 Téléc (416) 585-6470 www.mah.gov.on.ca



07-2290

February 28, 2007

City of St. Thomas Received

His Worship Mayor Cliff Barwick City of St. Thomas 545 Talbot Street P.O. Box 520 St. Thomas ON N5P 3V7

MAR 0 5 2007

Dear Mayor Barwick:

Re:

78 Steele Street, St. Thomas, 12 units

Steele Street Apartments, Walter Ostojic and Sons

Canada-Ontario Affordable Housing Program (AHP) – Wave 1 Rental and Supportive Component

I am pleased to confirm that funding in the amount of \$828,000 for 12 units for the Steele Street Apartments project has been approved under the Canada-Ontario Affordable Housing Program – Wave 1. This conditional letter for funding is based on the recommendation of the City of St. Thomas.

Our government would like to commend the City of St. Thomas for its participation in the Canada-Ontario Affordable Housing Program – Rental and Supportive Housing funding. We want to express our support and enthusiasm for this worthwhile project, which will accommodate low-income single persons and families including persons with mental illness and victims of domestic violence in the City of St. Thomas.

Our government is committed to building strong communities for the people of Ontario, in which everyone has access to safe, secure and affordable housing.

On April 29, 2005, the Government of Canada and the Government of Ontario signed a new Canada-Ontario Affordable Housing Program Agreement, which commits \$301 million from each level of government for a total of \$602 million over the next four years.

This agreement will fund up to 15,000 new units of affordable housing and 5,000 housing allowances for Ontario's most vulnerable – including people on, or eligible to be on, the waiting list for social housing, victims of domestic violence, the mentally ill, aboriginal people, recent immigrants, people with physical disabilities, and lower-income seniors.

On August 31, 2005, we announced \$402 million to Ontario's municipal service managers as a first wave under the new AHP. As part of this announcement, the City of St. Thomas was allocated funding of \$3.50 million for the creation of 50 new units of affordable housing under the rental and supportive component and \$0.27 million for 30 housing allowances. In addition, the City of St. Thomas has been allocated \$0.189 million for funding 24 homeownership units.

I hope that your community will benefit from this new allocation by providing additional units of affordable housing.

Thank you for the City of St. Thomas's participation in the AHP. Our government looks forward to our continued collaboration under the program.

Sincerely,

John Gerretsen

Mihister

Mr. Wendall Graves, City Clerk, City of St. Thomas

Minister of Municipal Affairs and Housing

777 Bay Street, 17th Floor Toronto ON M5G 2E5 Tel. (416) 585-7000 Fax (416) 585-6470 www.mah.gov.on.ca Ministre des Affaires municipales et du Logement

777, rue Bay, 17° étage Toronto ON M5G 2E5 Tél. (416) 585-7000 Téléc (416) 585-6470 www.mah.qov.on.ca





07-2280

February 28, 2007

His Worship Mayor Cliff Barwick City of St. Thomas 545 Talbot Street Box 520 St. Thomas ON N5P 3V7 MAR 0 5 2007

Dear Mayor Barwick:

Re:

25 Scott Street, St. Thomas, 23 units

Scott Street Apartments, Novi Construction Limited

Canada-Ontario Affordable Housing Program (AHP) - Wave 1 Rental and

Supportive Component

I am pleased to confirm that funding in the amount of \$1,504,108 for 23 units for the Scott Street Apartments project has been approved under Wave 1 of the Canada—Ontario Affordable Housing Program. This conditional letter for funding is based on the recommendation of the City of St. Thomas.

Our government would like to commend the City of St. Thomas for its participation in the Canada—Ontario Affordable Housing Program — Rental and Supportive Housing funding. We want to express our support and enthusiasm for this worthwhile project, which will accommodate persons with mental illness and victims of domestic violence.

Our government is committed to building strong communities for the people of Ontario, in which everyone has access to safe, secure and affordable housing.

On April 29, 2005, the Government of Canada and the Government of Ontario signed a new Canada—Ontario Affordable Housing Program Agreement, which commits \$301 million from each level of government for a total of \$602 million over the subsequent four years.

This agreement will fund up to 15,000 new units of affordable housing and up to 5,000 housing allowances for Ontario's most vulnerable – including people on, or eligible to be on, the waiting list for social housing, victims of domestic violence, the mentally ill, aboriginal peoples, recent immigrants, people with physical disabilities, and lower-income seniors.

On August 31, 2005, we announced \$402 million to Ontario's municipal service managers as a first wave under the new AHP. As part of this announcement, the City of St. Thomas was allocated funding of \$3.50 million for the creation of 50 new units of affordable housing under the Rental and Supportive component and \$0.27 million for 30 housing allowances. In addition, the City of St. Thomas has been allocated \$0.189 million for funding 24 Homeownership units.

I hope that your community will benefit from this new allocation by providing additional units of affordable housing.

Thank you for the City-of St. Thomas's participation in the AHP. Our government looks forward to our continued collaboration under the program.

John Gerretsen

Minister

since fely,

Mr. Wendall Graves, City Clerk, City of St. Thomas

REFERRED TO
W. DAY
s. DATARS BERE NOW

St. Thomas Downtown Development Board 545 Talbot St. P.O. Box 520 St. Thomas, ON N5P 3V7

Feb. 21, 2007

City of St. Thomas Received

FEB 2 8 2007

Mayor Cliff Barwick City Hall 545 Talbot St. St. Thomas, ON N5P 3V7

City District Deep

Dear Mayor Barwick,

The Downtown Development Board held a meeting on Feb. 21, 2007, and after a brief discussion we agreed to support your proposal proclaiming the month of April, Yellow Ribbon Month in support of our Canadian forces.

We, as a committee, would like to propose that the Mayor's office and the DDB jointly purchase a set of yellow banners to support April Yellow Ribbon Month. The banners will cost approximately \$3000.00 (\$30.00 ea.) for 100 banners.

Sincerely,

Terry Hall

Chair - Promotions Committee